

Date: Thursday, 2/14/2008 11:01:38 AM  
 User: Kim Johnston

## Process Sheet

Customer	CU-DAR001 Dart Helicopters Services			Drawing Name	JACK SADDLE		
Job Number	37445			Part Number	D2281		
Estimate Number	11177			Drawing Number	D2281 REV G		
P.O. Number	:			Project Number	N/A		
This Issue	2/14/2008	S.O. No.	:	Drawing Revision	G		
Prsht Rev.	NC			Material	:		
First Issue	/ /	Type	SMALL /MED FAB	Due Date	3/20/2008	Qty:	100
Previous Run	36824			Um:	Each		
Written By	<u>1080214</u>						
Checked & Approved By							
Comment	Est Rev:A	Removed from 9 Digit	05-12-02	JLM			
	Est: rev B	06.07.17	waterjet EC				

## Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
1.0	M304S14GA	304SS .080
Comment: Qty.: 0.1313 sf(s)/Unit Total : 13.1250 sf(s) 304SS .080 batch: <u>107244</u> <u>IB 8-2-26</u>		
2.0	WATER JET	FLOW WATER JET
Comment: FLOW WATER JET 1-Cut as per Dwg D2281 Dwg Rev: <u>G</u> <u>IB 8-2-26</u> Prog Rev: <u>G</u>		
2-Deburr if necessary <u>IB 8-2-26</u>		
3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
<u>IB 8-2-26</u>		
Comment: INSPECT PARTS AS THEY COME OFF MACHINE		
4.0	QC8	SECOND CHECK
<u>Job 02-27</u> <u>Covered</u>		
Comment: SECOND CHECK		
5.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
<u>N/A</u>		
Comment: Deburr		

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes  No  DQA:  Date: 08/03/11  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date:  
User:

Thursday, 2/14/2008 11:01:38 AM  
Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: JACK SADDLE

Job Number: 37445

Part Number: D2281

Job Number:



Seq. #: Machine Or Operation:

Description :

6.0 BRAKE NC NC BRAKE



Comment: NC BRAKE

Form as per D2281 using D2281-T2

SB 08/03/07 110

7.0 QC5 INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

08/03/07 X110 counts

8.0 PACKAGING 1 PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

1/8/10 sylvia (110)

9.0 QC21 FINAL INSPECTION/W/O RELEASE



110

Comment: FINAL INSPECTION/W/O RELEASE

08/03/07 11

Job Completion



2008/3/10

110

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


DART AEROSPACE LTD	Work Order:	37445
Description: Jack Saddle	Part Number:	D2281
Inspection Dwg: D2281	Rev: G	Page 1 of 1

# FIRST ARTICLE INSPECTION CHECKLIST

## X First Article      Prototype

Measured by:	<u>HR</u>	Audited by:	<u> </u>	Prototype Approval:	N/A
Date:	8-2-26	Date:	<u>08.27</u>	Date:	N/A




<b>Rev</b>	<b>Date</b>	<b>Change</b>	<b>Revised by</b>	<b>Approved</b>
A	06.09.08	New Issue	KJ/JLM	JLH



**DART**

DESIGN BW	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>IP</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2281	REV. G SHEET 1 OF 1
DATE 05.06.07		TITLE JACK SADDLE	SCALE 1:2
A	94.10.14	NEW ISSUE	
B	94.10.18	DIMENSION WAS 2.878	
C	94.11.04	ADD TOOLING NOTCH	
D	98.03.27	R0.350 WAS R0.280	
E	04.11.18	REMOVE TOOLING NOTCHES	
F	05.03.16	REDESIGN FLAT PATTERN	
G	05.06.07	REDESIGN FLAT PATTERN	

**RELEASED**  
*[Signature]*  
05/08/11



#### D2281 JACK SADDLE

- 1) MATERIAL: 304/316 SS, 0.080 THICK (REF DART SPEC. M304S14GA)
- 2) FINISH: NONE
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 1994 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.